



VMware SRM array manager discovery displays null peer array ID for remote site

https://kb-stage.netapp.com/data-mgmt/OTV/SRA_Kbs/VMware_SRM_array_manager_discovery_displ...

Updated: Wed, 24 Jun 2026 07:14:01 GMT

Applies to

- NetApp Storage Replication Adapter (SRA)
- VMware Site Recovery Manager (SRM)

Issue

- Configuring an array pair in SRM, the peer array has a `null`

Example 1:

Example 2:

- Warnings appear in the SRM logs:

```
2018-04-24T14:39:07.678-04:00 warning vmware-dr[00816] [Originator@6876
sub=Storage opID=364afed0] Array Manager
for SRA '70d7e5fb-4684-49cc-b099-e8f0386c17cb' and Array 'null:vserver_dr' was
not found
--> <?xml version="1.0" encoding="UTF-8"?><Response
```

```
xmlns="http://www.vmware.com/srm/sra/v2"
xmlns:replication="http://www.vmware.com/srm/sra30"
xmlns:foo="http://www.foo.com/sra/v2">
-->
--> <Arrays>
--> <Array id="cluster:vserver_prod">
--> <Model>
--> <Name>FASXXXX</Name>
--> <Vendor>NETAPP</Vendor>
--> </Model>
--> <PeerArrays>
--> <PeerArray id="null:vserver_dr"></PeerArray>
--> </PeerArrays>
--> <ReplicationSoftware>
--> <Name>snapmirror</Name>
--> <Version>C-mode</Version>
--> </ReplicationSoftware>
--> </Array>
--> </Arrays>
--> </Response>
```